

WHAT IS CLAIMED IS:

1. A method for detecting a call made to a telephone station associated with a privacy screening service routed from a first telephone station to a second telephone station via a switching network, comprising:
- 5 intercepting a call from a first telephone station directed to a second telephone station;
- determining if the second telephone station requires identification of the first telephone station for completion of the call; and
- 10 in response to determining that the second telephone station requires identification of the first telephone station for completion of the call, disconnecting the call.
2. The method of claim 1, further comprising intercepting the call from
- 15 the first telephone station to the second telephone station based on an indicator associated with the first telephone station.
3. The method of claim 2, further comprising allowing the call to proceed if the directory number is included in a list associated with the first
- 20 telephone station.
4. The method of claim 1, wherein, in response to determining that the second telephone station does not require identification of the first telephone station, completing the call.
- 25
5. The method of claim 1, further comprising sending an indicator to a billing system to identify a call sent from the first telephone station to the second telephone station wherein the second telephone station requires the identification of the first telephone station for completion of the call.

6. The method of claim 1, wherein the method is performed in an Advanced Intelligent Network (AIN) having a service switching point and a service control point, wherein said service switching point hosts an off-hook delay trigger associated with the first telephone station, and wherein said intercepting act
5 comprises:

actuating said off-hook delay trigger; and
querying the service control point to obtain information
associated with the second telephone station from a database stored at the services
control point.

10 7. The method of claim 6, wherein in response to determining that the information associated with the second telephone station indicates that identifying information must be supplied by a calling party to the second telephone station before the call can be completed, disconnecting the call.

15 8. The method of claim 6, wherein in response to determining that identifying information does not need to be supplied by a calling party to the second telephone station before the call can be completed, the call is completed.

20 9. An advanced intelligent network comprising:
a service switching point communicatively connected to a first
party telephone station;
the service switching point including an off-hook delay
trigger, which takes an action when an outgoing call destined for a second telephone
25 station is received, one or more actions including generating a query;
a service control point, communicatively connected to a
second service switching point, which receives said query from the first telephone
station and which, based on the query, instructs the first service switching point to
perform one of completing the call and disconnecting the call.

10. The advanced intelligent network of claim 9, further comprising a services node, the services node including: a voice synthesizer which generates an audible message.

5 11. The advanced intelligent network of claim 10, wherein the services node generates an audible message to a first party telephone station when the call is disconnected.

10 12. The advanced intelligent network of claim 9, wherein the service control point generates a message and sends the message to the service switching point for inclusion on a billing record created by the services switching point and sent to a billing system.

15